



## JIVA TOUCH TERMINAL SERIES

The JIVA touch terminal series is designed to meet the demands for hospitality, retail and vertical market segments. The JIVA series offers unique models with ranging solutions from high-performance Intel-based systems to thin-client architecture. All models include:

- 15" TFT active-matrix, dual-backlit LCD panel - resolution 1024x768
- Resistive or Infrared touch panel options
- Compatible with MS-Windows and Linux operating systems
- The JIVA 5000/6000 series offers both counter-top and wall-mount options
- The JIVA 7000/8000 series is designed for counter-top applications
- Water resistant design protects circuitry and allows for easy cleaning
- Solid design made to withstand the rigors of the harsh environments
- Built-in UPS functionality
- Software controlled ON/OFF power switch

### OPTIONS INCLUDE:

- 2-in-1 integrated attachment with MSR, and either a "DigitalPersona UrU" -OR- "AuthenTec" finger print sensor
- 3-in-1 attachment including MSR, AuthenTec sensor and 40-key programmable keyboard
- External CDRW drive
- Integrated 2x20 LED customer display (PD302C)



## JIVA 5000

The JIVA 5000 series is a low-cost, high-performance all-in-one touch terminal.

The JIVA 5800 contains a 3.5" 20GB HDD and is ideal for use in environments that require less CPU power at the front-end workstation.

### Thin Client Without HDD

Application must be authorized by POSIFLEX on JIVA5700

Part #	Description	List
TP5715R2C0WCE	15" TOUCH, 800MHz, DDR 128MB, CF 64MB, WIN CE.NET	CALL
TP5715R2C4WXPE	15" TOUCH, 800MHz, DDR 128MB, CF 256MB, WIN XPE	CALL

### With 20G Hard Drive

Part #	Description	List
TP5815G2NOS	15" TOUCH, 1.0GHz, DDR 128MB, w/o OS	CALL
TP5815G2W2K	15" TOUCH, 1.0GHz, DDR 128MB, WIN 2000	CALL
TP5815G2WXP	15" TOUCH, 1.0GHz, DDR 128MB, WIN XP PRO	CALL
TP5815G4WXP	15" TOUCH, 1.0GHz, DDR 256MB, WIN XP PRO	CALL

### Memory Upgrade

Memory Upgrade	Description	List
	256MB, upgrade from 128MB (TP5815R4 from TP5815R2)	CALL
	512MB, upgrade from 128MB (TP5815R8 from TP5815R2)	CALL



## MSR FOR JIVA SERIES

USB MSR, FINGER PRINT COMBINATION (SMART CARD READER IS NOT AVAILABLE ON THIS OFFER)

<b>SD1008002</b>	Legacy attachment w/2 Track MSR, w/o FP	CALL
<b>SD1008012</b>	Legacy attachment w/2 Track MSR, w/Authentec FP	CALL
<b>SD1009002</b>	Legacy attachment w/3 Track MSR, w/o FP	CALL
<b>SD1009012</b>	Legacy attachment w/3 Track MSR, w/Authentec FP	CALL
<b>FP100</b>	Upgrade Authentec finger print module (includes self-installation kit)	CALL
<b>SD2008002</b>	New attachment w/2 Track, w/o FP	CALL
<b>SD2008032</b>	New attachment w/2 Track, w/DigitalPersona UrU FP (Please specify Gold or Platinum driver)	CALL
<b>SD2008042</b>	New attachment w/2 Track, w/Authentec FP	CALL
<b>SD2009002</b>	New attachment w/3 Track, w/o FP	CALL
<b>SD2009032</b>	New attachment w/3 Track, w/DigitalPersona UrU FP only (Please specify Gold or Platinum driver)	CALL
<b>SD2009042</b>	New attachment w/3 Track, w/Authentec FP	CALL
	Upgrade DigitalPersona UrU finger print on new attachment (exchange attachment cover)	CALL
	Upgrade Authentec UrU finger print on new attachment (exchange attachment cover)	CALL

## JIVA 6000

The JIVA 6000 series offers state-of-the-art Intel-based CPU technology for applications that require a high-performance system with limited internal options. A resistive touch panel is standard. The high-speed processor easily operates various kinds of customer applications across all market segments.

*15", CEL-1.2G, w/HDD, ELO ACCUTOUCH*

Part #	Description	List
<b>TP6115R4</b>	JIVA 6000, 15", CEL-1.2G, 256MB, w/o O.S.	CALL
<b>TP6115R4W2K</b>	JIVA 6000, 15", CEL-1.2G, 256MB, WIN 2000	CALL
<b>TP6115R4WXP</b>	JIVA 6000, 15", CEL-1.2G, 256MB, WIN XP PRO	CALL

## JIVA 7000

The JIVA 7000 series offers the same robust features as the JIVA 6000 but includes more internal features and options. This model includes an audio amp and two internal speakers in the base.

- Internal 802.11b wireless LAN device or internal modem device
- Secondary HDD with easy access for service
- Secondary 12" LCD customer display for promos and customer information
- Internal CDR or DVD slim-type CD-ROM drive
- Integrated 2x20 VFD pole display (PD2501C) or 2x20 LED customer display (PD-305C)

*15", CEL-1.2G, w/HDD, ELO ACCUTOUCH*

Part #	Description	List
<b>TP7115R4</b>	JIVA 7000, 15", CEL-1.2G, 256MB, w/o O.S.	CALL
<b>TP7115R4W2K</b>	JIVA 7000, 15", CEL-1.2G, 256MB, WIN 2000	CALL
<b>TP7115R4WXP</b>	JIVA 7000, 15", CEL-1.2G, 256MB, WIN XP PRO	CALL

### Memory Upgrade

	512MB, upgrade from 256MB (TP6115R8/TP7115R8 from TP6115R4/TP7115R4)	CALL
--	--	------



## JIVA 8000

15", Cel-2.0G, 40G HDD, ELO Accutouch Infrared or Touch Sensor

Part #	Description	List
TP8015R4NOS	JIVA 8000, 15" IR Touch, CEL-2.0G, 256MB, w/o O.S.	CALL
TP8015R4W2K	JIVA 8000, 15" IR Touch, CEL-2.0G, 256MB, WIN 2000	CALL
TP8015R4WXP	JIVA 8000, 15" IR Touch, CEL-2.0G, 256MB, WIN XP PRO	CALL
TP8015R8NOS	JIVA 8000, 15" IR Touch, CEL-2.0G, 512MB, w/o O.S.	CALL
TP8015R8W2K	JIVA 8000, 15" IR Touch, CEL-2.0G, 512MB, WIN 2000	CALL
TP8015R8WXP	JIVA 8000, 15" IR Touch, CEL-2.0G, 512MB, WIN XP PRO	CALL

### Memory Upgrade

	512MB, upgrade from 256MB (TP8015R8 from TP8015R4)	CALL
--	--	------

## OPTIONS FOR JIVA 5000/6000/7000/8000

Part #	Description	List
	<b>KEYBOARD, MSR AND FINGER PRINT COMBINATION</b>	
KP1002000	40 Keys Keyboard, w/2 Track MSR, w/o FP	CALL
KP1002010	40 Keys Keyboard, w/2 Track MSR, w/Authentec FP	CALL
	<b>UPGRADE MODULES</b>	
KB112M2KIT	2-Track Magnetic Stripe Reader for SD100/KP100 (self installation kit)	CALL
KB112M3KIT	3-Track Magnetic Stripe Reader for SD100/KP100 (self installation kit)	CALL
*FP200	Upgrade DigitalPersona UrU Finger print module for SD200 (self installation kit)	CALL
	<b>OTHERS</b>	
PD302C	Customer Display 2*20 LCD (self-installation kit)	CALL
*WB-700	Wall mount plate for JIVA	CALL
CDR2400	External CD ROM DRIVE for JIVA, USB. (replace TPCDROMKIT-P or CDR2200)	CALL
*CDWVD2200	External Combo CD READ-WRITE/DVD ROM DRIVE, USB	CALL
FD2100	External FDD, USB interface for JIVA, USB (replace EX-FDD)	CALL
*CBT12VLA2	Battery, rechargeable, for POSIFLEX terminal. (drop shipment is allowed)	CALL
TA-3000	Power Supply w/cbl, TP6000 (for S/N: TP0xxxxxxx and TP1xxxxxxx)	CALL
20972080121	Power Supply, JIVA (for S/N: TP2xxxxxxx)	CALL
20868600500	Power cable comes with 20972080121. Refer to spare part price for cable alone.	CALL
*UMD-2100	MODEM, 56.6K, USB for JIVA 5000/6000/7000/8000	CALL
16100320002	Plastic key for TP6000 (KEY-TP)	CALL
BRO-TP6000	Brochure, JIVA 8000/6000/5700/5800 series (25 per pack)	CALL
BRO-TP7000	Brochure, JIVA 7000 series (25 per pack)	CALL



## OPTIONS FOR JIVA 7000 ONLY

Part #	Description	List
*LM6101C	2nd display, 12.1" TFT	CALL
*TM6101C	2nd display, 12.1" TFT, touch	CALL
*PD2501C	Pole Display, VFD, 2X20 char. 11mm H	CALL
*PD305C	Customer Display, 2x20 LCD	CALL
*KB6000C	Keyboard, 102-keys programmable as attachment for JIVA 7000 or stand alone	CALL
*KB6200C	Keyboard, QWERTY & programmable as attachment for JIVA 7000 or stand alone	CALL
*CDR2300	INTERNAL CD ROM DRIVE, SLIM TYPE	CALL
*CDWVD2300	INTERNAL COMBO CD READ-WRITE/DVD ROM DRIVE.	CALL
*DWVD-2000	INTERNAL DVD DRIVE, SLIM TYPE	CALL
46209202000	2ND IDE MODULE KIT w/DATA & POWER CBL (also known as TP069KIT)	CALL
*AHDD20GBSEA	2nd HDD (Western Digital 20GB)	CALL
*WLL-2000	Wireless LAN, IEEE 802.11b	CALL
*UMD-2100	MODEM, 56.6K, USB for JIVA 5000/6000/7000	CALL

## PST SERIES

The PST keyboard-based integrated retail system uses state of the art Intel-based CPU technology. With a small footprint design, the PST-7000 contains all of the necessary components for a retail environment and is easily tailored to meet many different applications. The PST-7000's solid cabinetry design includes a key lock to prevent unauthorized access to the internal floppy disk drive and reset switch.

### ALL MODELS INCLUDE:

- The PST includes a 12.1" LCD panel. Adjustable viewing angles range from horizontal, forward, backward and almost 180 degree rotation.
- Easily accessible service openings to jumpers, battery, HDD, memory and internal IDE connector
- Modular double and quad key design allows positioning anywhere on the keyboard
- Dual independent video output for customer display to promote impulse sale items
- Built-in UPS battery functionality
- Optional extension plate to accommodate a variety of receipt printers
- Software controlled ON/OFF power switch



## PST SERIES (w/12.1" LCD)

CEL-1.2G, QWERTY KB: Configure To Order (Lead Time Required)

Part #	Description	List
PST7150R4	CEL-1.2G, 256MB, QWERTY, 12.1" TFT, w/o O.S.	CALL
PST7150R4W2K	CEL-1.2G, 256MB, QWERTY, 12.1" TFT, WIN 2000	CALL
PST7150R4WXP	CEL-1.2G, 256MB, QWERTY, 12.1" TFT, WIN XP PRO	CALL
PSTKB112	An additional programmable keyboard for PST series (only good with system purchase)	CALL

CEL-1.2G, KB112: Configure To Order (Lead Time Required)

PST7450R4	CEL-1.2G, 256MB, KB 112, 12.1" TFT, w/o O.S.	CALL
PST7450R4W2K	CEL-1.2G, 256MB, KB 112, 12.1" TFT, WIN 2000	CALL
PST7450R4WXP	CEL-1.2G, 256MB, KB112, 12.1" TFT, WIN XP PRO	CALL

### Memory Upgrade

20113256000	256MB SO DIMM, PC133	CALL
20113512000	512MB SO DIMM, PC133	CALL



## OPTIONS FOR PST

Part #	Description	List
<b>20863014610</b>	Cable, 24V printer cable. (known as CCBLA-146A)	CALL
<b>PSTCDROMKITP</b>	24X slim CDROM, w/installation kit. (CDR2000)	CALL
<b>*CDWVD2000</b>	Internal CD Read-Write/DVD DRIVE w/installation kit	CALL
<b>PSTEXPLTKIT</b>	Plate, Printer extension for PST	CALL
<b>CBT12VLA2</b>	Battery, rechargeable, for POSIFLEX PST/TP terminal.	CALL
<b>KB112M2KIT</b>	2-Track Magnetic Stripe Reader module + installation kits	CALL
<b>KB112M3KIT</b>	3-Track Magnetic Stripe Reader module + installation kits	CALL
<b>PD2201S</b>	Pole display for PST, VFD 2X20 characters, 11mm alpha-numeric	CALL

### ACCESSORIES

<b>PSTACSR-112</b>	Complete standard accessories for PSTKB112	CALL
<b>PSTACSR-136</b>	Complete standard accessories for PSTKB136-Qwerty	CALL
<b>10172001000</b>	Key, Front Door for PST (known as KEY-FD before)	CALL
<b>KEYLOCK-FD</b>	Key and Lock assembly, Front Door, PST.	CALL
<b>10172002000</b>	Key, 6-position, electronics, PST and KB-3100 (Known as KEY-6P)	CALL
<b>33102005000</b>	Lock, 6-Position, electronics, PST and KB-3100 w/o key (Known as PSTKB112ELCK)	CALL
<b>TMan-PST</b>	Manual, Technical, PST-1000,6000, 7000	CALL
<b>UMan-PST</b>	Manual, User's, PST-1000, 6000, 7000	CALL
<b>BRO-PST</b>	Brochure, PST-7000 (25 per pack).	CALL

### KEYBOARD for PST (NO CREDIT ON PST KEYBOARD)

<b>PSTKB112</b>	Keyboard, PST series, 112 keys. (with electronics & mechanical keys)	CALL
<b>PSTKB136</b>	Keyboard, PST series, 136 including Qwerty keys. (with E&M keys)	CALL
<b>Key top &amp; cap</b>	Refer to Page 8. keyboard accessories.	CALL





## CASH DRAWER – CR4000

The CR3000 and CR4000 cash drawer series by Posiflex offers a durable metal chassis with a unique roller design for reliable, long-lasting performance. The CR series touts a "screwless" tamper resistant design. Multiple interfaces are available to meet any and all requirements. Available in beige and charcoal color.



### CR-3000, Compact, Beige Color (15.75" x 16.54" x 3.54")

Part #	Description	List
*CR3100-US	Printer Driven Cash Drawer, Star/Epson printer interface cable (RJ11), w/Metal bill weight	CALL
CR3102	Intelligent Drawer, Non-Dedicated serial RS232, w/power supply & cable, w/Metal bill weight	CALL
CR3103	Intelligent Drawer, Parallel interface, w/power supply & cable, w/Metal bill weight	CALL
CR3104	Dedicated RS232 self-powered Drawer with serial cable, w/Metal bill weight	CALL

### CR-4000, Compact, Beige Color (16.85"x18.11"x3.94"), metal bill weight.

CR4100Z-US	Printer Driven Cash Drawer, Star/Epson printer interface cable (RJ11) w/Metal bill weight	CALL
------------	---	------

### CR-4000, Compact, Charcoal Color

CR4210C	Same as CR-4100Z. Charcoal w/Metal bill weight	CALL
CR4212C	Intelligent Drawer, Non-Dedicated serial RS232, w/power supply & cable, w/Metal bill weight	CALL
CR4213C	Intelligent Drawer, Parallel interface, w/power supply & cable, w/Metal bill weight	CALL
CR4214C	Dedicated RS232 self-powered Drawer with serial cable, w/Metal bill weight	CALL
CR4215C	USB interface Cash Drawer	CALL

### Cash Drawer Accessories

CT/TC-3100-US	Cash Tray w/cover for CR3100-US (w/metal bill weight)	CALL
CT-3100-US	Cash Tray w/o cover for CR3100-US (w/metal bill weight)	CALL
TC-3100	Tray Cover for CR-3100/CR-3100-US	CALL
CTC4100-US	Cash Tray w/cover for CR-4100	CALL
CT4100-US	Cash Tray w/o cover for CR-4100	CALL
TC-4000	Tray Cover for CR4100-US	CALL
UB-3100	Under-counter Bracket for CR-3000	CALL
UB-4000	Under-counter Bracket for CR-4000	CALL
CR80XX	Key, Cash Drawer, pair	CALL
KEYLOCK-CRXX	Key and Lock Set, Cash Drawer. (please specify key number XX, the last 2 digit)	CALL
UMan-CR	Manual, User's, Cash Drawer.	CALL
20863018001	Cable, 3.2ft Star/Epson printer, RJ11 connector (known as CCBLA-180-1)	CALL
20867023800	Cable, dual cash drawer control. (Known as CCBLA-238)	CALL
20863007702	Serial Cable for Intelligent Cash Drawer. (Known as CCBLA-077-2)	CALL
20863008900	Parallel Cable for Intelligent Cash Drawer. (Known as CCBLA-089)	CALL
20973012015	External Power Adaptor for Intelligent Cash Drawer. (Known as E-0026)	CALL



## POLE DISPLAYS

Pole displays by Posiflex are flexible and durable. Adjustable viewing angles range from horizontal to vertical to 360 degree rotation. All stand-alone and base-mounted pole displays include Posiflex's renown spring-loaded anti-shock design to withstand harsh environments.

The PD-2000 series features adjustable viewing angles and programmable brightness. This series includes a bright blue 2x20 11mm VFD character display. The PD-2500 is a fixed pole display ideal for bar environments when spot-checking is required.

The PD300 series is a low-profile solution ideal when an integrated or counter-mount solution is required. This small footprint solution includes a 2x20 LED display that is unobtrusive and functional.



Part #	Description	List
PD303-110	LCD, table top customer display w/o pole. 2x20 serial, w/Power Adapter	CALL
PD2100S-110V	VFD, 2x20, 11mm, serial, counter-mounted, adj height, w/Power Adapter	CALL
PD2200B-110D	VFD, 2x20, 11mm, S/SP, wide base. Adj height, Beige w/Power Adapter	CALL
PD2200B-110F	VFD, 2x20, 11mm, S/SP, wide base. Adj height, Gray w/Power Adapter	CALL
PD2500-110VF	VFD, 2x20,11mm, S/SP, counter-mounted Fixed height, Gray w/Power Adapter	CALL
PD-2500SP	VFD, 2x20,11mm, S/SP, counter-mounted Fixed height, Beige, w/Power Adapter	CALL
*** Remark:	PD2200A/PD2500 supports Epson, Adex, Noritake, UTC mode	CALL
20863012400	Cable, serial spring, for PD2100 (Known as CCBLA-124)	CALL
20973012015	Power Adapter for pole display (Known as E0026)	CALL
UMan-PD	Manual, User's, Pole Display	CALL

## PRINTERS

The Posiflex AURA high speed clam-shell thermal receipt printer is a 180mm auto-cut printer offering a "drop-and-load" design that the POS industry demands for easy paper loading. With multiple interfaces to meet almost any requirement, the printer supports graphic and barcode printing, international character sets and other optional languages. EPSON command (TM-T88/III) compatible.

Available in charcoal or beige color.



Part #	Description	List
PP7000S-002	Aura Thermal printer, Serial, Beige, w/o Power Supply	CALL
PP7000C-002	Aura Thermal printer, Parallel, Beige, w/o Power Supply	CALL
PP7000S-103	Aura Thermal printer, serial, Charcoal w/Power Supply	CALL
PP7000C-103	Aura Thermal printer, Parallel, Charcoal w/Power Supply	CALL
PP7000U-103	Aura Thermal printer, USB, Charcoal, w/Power Supply	CALL
PA-6000	Power Supply for Aura printer	CALL
UMan-PP	Manual, User's, PP-7000	CALL
BRO-AURA	Brochures, AURA7000 Cutsheet (25 per pack)	CALL

## LONG RANGE SCANNERS

The long range CCD scanner by Posiflex is ergonomic and lightweight. Its low power consumption increases stability and is drop-tested from 1.7 meters. This model offers auto discrimination of bar codes, auto upper/lower case, high decoding capability, wide reading aperture, can be placed in continuous read mode and the interface is easily changed by switching cables and reprogramming.



Part #	Description	List
CD2860R	Scanner, 80mm, Serial w/holder.	CALL
CD3830K	Scanner, CCD, Long Range, 30-50CM, KB Wedge	CALL
CD3830U	Scanner, CCD, Long Range, 30-50CM,USB	CALL
CD3830R	Scanner, CCD, Long Range, 30-50CM, Serial w/power adaptor	CALL
ST3000	CD3830 Stand	CALL
20973205031	Power adaptor for serial scanner	CALL
20867030300	Cable, KB Wedge PC/AT interface (Known as CCBLA-303)	CALL
20863230400	Cable, RS232 interface (Known as CCBLA-304)	CALL
20867030500	Cable, KB Wedge PS/2 interface (Known as CCBLA-305)	CALL

## MAGNETIC STRIPE READER

The MR2000 can operate with or without a PC compatible keyboard connected. LED indicates a good or invalid read. The enclosure is made of heavy duty diecast material to withstand harsh environments.

*Heavy Duty Die Castcase*

Part #	Description	List
MR2000-2	Magnetic Strip Reader, Track 1 & 2, keyboard wedge	CALL
*MR2000-3	Magnetic Strip Reader, Track 1, 2 & 3, keyboard wedge	CALL
*MR2000-2U	Magnetic Strip Reader, Track 1 & 2, USB	CALL

Product with an (\*) requires at least 6-8 weeks delivery from the factory.

## PROGRAMMABLE KEYBOARD

The programmable keyboard series utilizes a highly reliable design and construction. 100% true spill-proof structure protects your customer's investment. All keyboards accommodate single, double, quad and blank keys. Daisy chain keyboard wedge architecture for data input devices. 5 positions + 1 lockout position key-lock allows multiple levels of programming and answer back code control. Cable management design prevents accidental disconnection.

- KB-2100: 55-key POS keyboard
- KB-3100: 112-key POS keyboard (100 programmable keys plus ten key)
- KB-3200: Standard QWERTY keys plus 53 programmable keys
- KB-4000: 4-in-1 mini footprint design security keyboard integrated with MSR, SC and Authentec finger printer reader
- KB-6000: 102-key POS keyboard
- KB-6200: Standard QWERTY keys plus 17 programmable keys





Part #	Description	List
*KB2100-PS2	55 keys (Beige)	CALL
*KB2100M2	55 keys w/2 Tracks Magnetic Stripe Reader.	CALL
*KB3100	112 keys (Beige)	CALL
*KB3100M2	112 keys w/2 Tracks Magnetic Stripe Reader.	CALL
*KB3200	136 keys w/Qwerty & 53 programmable keys (Beige)	CALL
*KB3200M2	136 keys w/Qwerty & 53 programmable keys, 2 Tracks Magnetic Stripe Reader	CALL
*KB4000	40 Keys, Gray (Option: MSR, Smart Card, Finger Print Sensor)	CALL
*KB4000M2	40 keys w/2 Tracks MSR, Gray (Option: Smart Card, Finger Print Sensor)	
	Option items for KB4000	
	Please refer to page 3 of 8 for 2-in-1 and 3-in-1 attachment and their upgrade modules	
*KB6000C	Keyboard, 102-keys programmable as attachment for JIVA 7000 or stand alone	CALL
*KB6200C	Keyboard, QWERTY & programmable as attachment for JIVA 7000 or stand alone	CALL

### Keyboard Accessories

20867005305	Cable, to convert AT connector to PS/2. (CCBLA-053-5)	CALL
39121001001	Key Clip for PST and KB-3100 (KC-2000)	CALL
QK-2000	Key, Quad w/Cap for KB-3100 and PSTKB112	CALL
QKC-2000	Keycap, Quad for KB-3100 and PSTKB112	CALL
39121003001	Key, Double vertical w/Cap for KB-3100 and PSTKB112 (DK-2000)	CALL
DKC-2000	Keycap, Double vertical for KB-3100 and PSTKB112	CALL
39121008000	Key, Double horizontal w/Cap for KB-3100 and PSTKB112 (DH-2000)	CALL
DHC-2000	Keycap, Double horizontal for KB-3100 and PSTKB112	CALL
39121002001	Key, Single w/Cap for KB-3100 and PSTKB112 (SK-2000)	CALL
SKC-2000	Keycap, Single for KB-3100 and PSTKB112	CALL
19120301021	Key, Blank for KB-3100 and PSTKB112 (8 pieces/set) (BK-2000)	CALL
39121050031	Keyset, Numeric key for KB-3100 and PSTKB112 (TK-2000)	CALL
10371001000	Legend Sheet for PST and KB-3100.(KLS-2000)	CALL
39131002001	Keyset, Single w/Cap for KB-3200 and PSTKB136 QWERTY (SK-136)	CALL
SKC-136	Keycap, Single for KB-3200 and PSTKB136 QWERTY	CALL
39131003001	Keyset, Double w/Cap for KB-3200 and PSTKB136 QWERTY (DK-136)	CALL
DKC-136	Keycap, Double for KB-3200 and PSTKB136 QWERTY	CALL
39131004001	Key, Blank for KB-3200 and PSTKB136 QWERTY (BK-136)	CALL
10371002000	Legend Sheet for KB-3200 and PSTKB136 QWERTY (KLS-136)	CALL
10172002000	Key, 6-position, electronics, PST and KB-3100 (KEY-6P)	CALL
33102005000	Lock, 6-Position, electronics, PST and KB-3100 w/o key (PSTKB112ELCK)	CALL
UMan-KB	Manual, Technical, KB-3XXX	CALL
TMan-KB	Manual, User's, KB-3XXX	CALL
PSTKB112CAPK	Complete key-caps for PSTKB112 or KB3100 (Contains: SKC-2000 x 93, DKC-2000 x 2, DHC-2000 x 1, QKC-2000 x 1)	CALL
PSTKB136CAPK	Complete key-caps for PSTKB136 or KB3200 (Contains: SKC-136 x 53, DKC-136 x 1)	CALL

# POSIFLEX™

## POS BOX SYSTEM

The PB-7000 is designed for operation security, convenience and reliability. This POS Box offers a software controlled ON/OFF power switch, built-in UPS functionality, a keylock to secure access to FDD and entire enclosure. Populated with POS specific ports on the front of the system for easy access. The POS Box offers dual independent video display port and an optional audio output port and two convenient service windows.



*(Special order item only - please call for details)*  
 20G HDD, 10/100 LAN, 4S1P, 1KB, 1 Mouse, 1 VGA, 2 USB, 24 VDC

Part #	Description	List
PP7700R4NOS	VIA C3-1GHz, 256MB w/o OS (Call for the other configuration)	CALL

### Options Items for POS Box System

*CDR-2100	24X slim CDROM, w/installation kit.	CALL
*IMD-2000	Internal modem	CALL
*CCBLA-377	Cable, VGA Monitor extension (~6ft)	CALL
*CCBLA-372	Cable, Pole display extension (~5ft)	CALL
*CCBLA-146C	Cable, 24V Printer power cable extension (~8ft)	CALL
*CCBLA-382	Cable, Keyboard extension (~6ft)	CALL

Product with an (\*) requires at least 6-8 weeks delivery from the factory.